| PMP | \$ | GGGGGGGGGGGGGGGGGGGGGGGGGGGGGGGGGGGGGG | ###################################### | |
|---|--|--|--|--|
| PMM PMM PMM PMM PMM PMM PMM PMM | \$ | | FFF FFF FFF | |

666666 666666 66

666666 666666

....

| CCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCC | | | | MM MM MMM MMM MMM MMM MMM MMM MM | \$ |
|--|--|--|--|---|--|
| MM MM MM MM MM MM MM M | AAAAAAAAAA AA AA AA AA | PPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPP | | | |

Page

| ı | | | | | | | |
|---|--|--------------------|---------------------|--|---|--|----|
| I | Module Name | Ident | Bytes | File | Creation Date | Creator | |
| ı | BADMSG EXCHSMESSAGE | V04-000 V04-000 | 2562 7571 | \$255\$DUA28:[MSGFIL.OBJ]BADMS | G.OBJ:1 15-SEP-1984 23:45 G.OBJ:1 16-SEP-1984 00:37 16-SEP-1984 01:24 16-SEP-1984 02:20 16-SEP-1984 01:50 | VAX-11 Message V04-0 VAX-11 Message V04-0 | 00 |
| ı | MAILMSG PHONE MESSAGES QUEMARMSG | 0 | 6459 3138 397 | [MSGFIL.OBJ]MAILMSG.OBJ;1 [MSGFIL.OBJ]PHONEMSGS.OBJ;1 [MSGFIL.OBJ]QUEMANMSG.OBJ;1 | 16-SEP-1984 01:24 16-SEP-1984 02:20 16-SEP-1984 01:50 | VAX-11 Message V04-0 VAX-11 Message V04-0 VAX-11 Message V04-0 | 00 |
| ı | RENAMEMSG | 0 V04-000 | 191 524 | [MSGFIL.OBJ]RENAMEMSG.OBJ:1 | 16-SEP-1984 01:50 | VAX-11 Message V04-0 VAX-11 Message V04-0 | 00 |
| ı | RUNMSG SET SHOWMSG | 0 | 4732 1509 | \$255\$DUA28:[MSGFIL.OBJ]RUNMS \$255\$DUA28:[MSGFIL.OBJ]SET.OI [MSGFIL.OBJ]SHOWMSG.OBJ;1 | BJ;1 16-SEP-1984 01:50 16-SEP-1984 01:51 | VAX-11 Message V04-0 VAX-11 Message V04-0 | 00 |
| ı | SMBMSG SUBMITMSG SEARCHMSG | V04-000 | 236 637 | \$255\$DUA28:[MSGFIL.OBJ]SMBMS [MSGFIL.OBJ]SUBMITMSG.OBJ;1 | G.OBJ;1 16-SEP-1984 02:31 16-SEP-1984 01:51 16-SEP-1984 02:17 | VAX-11 Message V04-0 VAX-11 Message V04-0 | 00 |
| ı | SEARCHISO | V | 0/7 | [MSGFIL.OBJ]SEARCHMSG.OBJ:1 | 10-3EP-1904 UZ:17 | VAX-11 Message V04-0 | 10 |

_\$255\$DUA28:[MSGFIL.OBJ]CLIUTLMSG.EXE:1

16-SEP-1984 04:58 VAX-11 Linker V04-00

Page

! Image Section Synopsis !

Type Pages Base Addr Disk VBN PFC Protection and Paging Cluster

Global Sec. Name

Majorid Match

Minorid

DEFAULT_CLUSTER

56 P-00000000-R

2 O READ ONLY

Key for special characters above:

R - Relocatable P - Protected

| _\$255\$DUA28:[MS | GFIL.OBJ]CLIUTLM | ISG.EXE;1 | | | 16-SEP-1984 04:58 | VAX-11 Linker V04-00 | Page | 3 |
|-------------------|--|--|--|---|--|--|------------|-----|
| | | | Pro | gram Section | Synopsis! | | | |
| Psect Name | Module Name | Base | End | Lengt | | Attributes | | |
| MSG\$AAAAAAAAAA | BADMSG EXCH\$MESSAGE MAILMSG PHONE MESSAGES QUEMARMSG RENAMEMSG RUNMSG SET SHOWMSG SMBMSG SUBMITMSG SEARCHMSG | 0000000 0000000 0000000 0000000 0000000 | 0000000F 0000000F 0000000F 0000000F 000000 | 00000010 (00000010 (00000010 (00000010 (00000010 (00000010 (00000010 (00000010 (00000010 (00000010 (00000010 (00000010 (00000010 (| 16.) LONG 2 16.) LONG 2 | PIC.USR,OVR,REL,LCL,NOSHR,NOEXE, | RD, NOWRT, | VEC |
| MSG\$AAAAAAAAAB | BADMSG EXCHSMESSAGE MAILMSG PHONE MESSAGES QUEMANMSG RENAMEMSG RUNMSG SET SHOWMSG SMBMSG SUBMITMSG SEARCHMSG | 00000010 00000014 00000018 0000001C 00000020 00000024 00000028 0000002C 00000030 00000038 | 0000003F 00000017 0000001B 0000001F 00000027 0000002P 0000002F 00000033 00000037 0000003F | 00000030 (00000004 (00000004 (00000004 (00000004 (00000004 (00000004 (00000004 (00000004 (00000004 (00000004 (000000004 (00000004 (000000004 (| 48.) LONG 2 4.) LONG 2 | PIC, USR, CON, REL, LCL, NOSHR, NOEXE, | RD, NOWRT, | VEC |
| MSG\$AAAAAAAAAC | BADMSG EXCH\$MESSAGE MAILMSG PHONE MESSAGES QUEMARMSG RENAMEMSG RUNMSG SET SHOWMSG SMBMSG SUBMITMSG SEARCHMSG | 0000040 0000040 0000040 0000040 0000040 0000040 0000040 0000040 0000040 0000040 | 00000043 00000043 00000043 00000043 00000043 | 00000004 (00000004 (00000004 (00000004 (00000004 (00000004 (00000004 (00000004 (00000004 (00000004 (00000004 (00000004 (00000004 (00000004 (| 4.) LONG 2 | PIC,USR,OVR,REL,LCL,NOSHR,NOEXE, | RD, NOWRT, | VEC |
| MSG\$SECTION | BADMSG EXCH\$MESSAGE MAILMSG PHONE MESSAGES QUEMARMSG | 00000044 00000044 00000A2E 000027A9 000040CC | 00006FC6 00000A2D 000027A8 000040CB 00004CF5 00004E6A | | 28547.) BYTE 0 2538.) BYTE 0 7547.) BYTE 0 6435.) BYTE 0 3114.) BYTE 0 373.) BYTE 0 | PIC, USR, CON, REL, LCL, NOSHR, NOEXE, | RD, NOWRT, | VEC |

M 5 16-SEP-1984 04:58 \$255\$DUA28:[MSGFIL.OBJ]CLIUTLMSG.EXE:1 VAX-11 Linker V04-00 Page Psect Name Module Name Base Length Align Attributes End 00000044 00006FC6 00006F83 (
00004E6B 00004F11 000000A7 (
00004F12 00005105 000001F4 (
00005106 00006369 00001264 (
0000636A 00006936 000005CD (
00006937 00006A0A 000000D4 (
00006A0B 00006C6F 00000265 (
00006C70 00006FC6 00000357 (28547.) BYTE 0 167.) BYTE 0 500.) BYTE 0 4708.) BYTE 0 1485.) BYTE 0 212.) BYTE 0 613.) BYTE 0 855.) BYTE 0 MSG\$SECTION PIC.USR, CON, REL, LCL, NOSHR, NOEXE, RD, NOWRT, VEC RENAMEMSG RUNMSG SET SHOWMSG SMBMSG SUBMITMSG SEARCHMSG

Us

To

N

007EDF38

| _\$255\$DUA28:[MSGFIL.OBJ]CL | .IUTLMSG.EXE;1 | | 8 6 16-SEP-1984 04:58 | VAX-11 Linker V04-00 | Page | 6 |
|--|---|--|--------------------------|---|---|---|
| MAILS CVTFILE MAILS DATIMUSED MAILS DELMSG MAILS DELMSGS MAILS DELMSGS MAILS DELWSTE MAILS DIRDEL10 MAILS DIRDEL10 MAILS DIRHD10 MAILS DIRHD20 MAILS EDITTO MAILS FACILITY MAILS FILECONFUSED MAILS FILEMPTY MAILS FORWLOOP MAILS FILEMPTY MAILS FILEMPTY MAILS FILEMPTY MAILS FORWLOOP MAILS ILLCHAR MAILS ILLCHAR MAILS ILLCHAR MAILS INFO10 MAILS INFO10 MAILS INFO10 MAILS INFO50 MAILS INFO50 MAILS INFO50 MAILS ISUBJO MAILS INFO50 MAILS MAILFOLDER MAILS MAILFOLDER MAILS MAILFOLDER MAILS MAILFOLDER MAILS MAILFOLDER MAILS NOFOLDER MAILS NOMOREMSG MAILS NO | Value 007EBE93 007EB082 007EB083 007EB084 007EB0B0 007EDD08 007EDD08 007EDD08 007EDD08 007EDD08 007EDD08 007EDD08 007EB08A 007EB08A 007EB08A 007EB08A 007EB08A 007EB08A 007EDDF8 007EDDF8 007EDDF8 007EDDF8 007EDDF8 007EDDF8 007EDF8 007EDF8 007EDF10 007EDF10 007EDF10 007EDF10 007EDF20 007EB08A 007EDF30 007EDF10 007EDF10 007EDF10 007EDF10 007EDF10 007EDF20 007EB08A 007EDF10 007EB08A 007EDF10 007EDF10 007EDF10 007EB092 007EB092 007EB092 007EB092 007EB092 | MAILS NOSUCHUSRAT MAILS NOTCALEDT MAILS NOTEXIST MAILS NOTEXIST MAILS NOTIFY10 MAILS NOTIFY20 MAILS NOTIFY30 MAILS NOTIFY30 MAILS NOTIFY40 MAILS NOTISAM MAILS NOTSUBDIR MAILS PRESRET MAILS PRESRET MAILS RECLPLSWAIT MAILS RECLPLSWAIT MAILS RECLPLSWAIT MAILS RECLPLSWAIT MAILS RECTOBIG MAILS REPLY MAILS REPLY MAILS SENDERRAT MAILS SENDH100 MAILS SHOW100 M | Value | Symbol PHNS-ANSWERED PHNS-BADCMD PHNS-BADMAILCMD PHNS-BADSMB PHNS-BADSPEC PHNS-BADSPEC PHNS-BADSPEC PHNS-BADSPEC PHNS-CANCALL PHNS-CANCALL PHNS-CANCALL PHNS-DECNETLINK PHNS-DECNETLINK PHNS-DECNETLINK PHNS-DECNETLINK PHNS-DECNETLINK PHNS-IVREDUNANS PHNS-IVREDUNANS PHNS-IVREDUNCALL PHNS-IVREDUNCALL PHNS-IVREDUNCALL PHNS-IVREDUNCALL PHNS-IVREDUNCALL PHNS-NOCALL PHNS-NOCALL PHNS-NOCALL PHNS-NOPOC PHNS-NOPOC PHNS-NOPOC PHNS-NOPOC PHNS-NOPOC PHNS-NOPROC PHNS-NOPOC PHNS-NOPOC PHNS-NOPROC | Value 00A68013 00A680A2 00A680AA 00A680BA 00A680BA 00A680BA 00A6801B 00A6802B 00A6802B 00A68033 00A6803B 00A6805B 00A6805B 00A6805B 00A6805B 00A6806B 00A6806B 00A680CA 0 | |

M CHEGGGGGGGGLLMMNOOSSSUBBCGSFL

| _\$255\$DUA28:[MSGFIL.OBJ]CLIUTL | MSG.EXE;1 | | 16-SEP-1984 04:58 | VAX-11 Linker V04-00 | Page 7 |
|---|--|--|---|--|--------|
| Symbol QUEMANS_INVFORNUM QUEMANS_INVLOGFIL RENAMES_FACILITY RENAMES_NOTSAMEDEV RUNS_CREPRC RUNS_CYTERR RUNS_FACILITY RUNS_FACILITY RUNS_ILLVAL RUNS_INVUIC RUNS_SCHOOK SEARCHS_FACILITY SETS_ACCDISAB SETS_ACCENAB SETS_ACCENAB SETS_ACCENAB SETS_ACCENAB SETS_BADFRMT SETS_BUFBLKREQ SETS_CLOSEERR SETS_DEVSET1 SETS_DEVSET1 SETS_DEVSET1 SETS_ENTERED SETS_ENTERED SETS_ENTERED SETS_ENTERED SETS_INVEWED SETS_INVEWED SETS_INVEWED SETS_INVEWED SETS_INVEWED SETS_INVEWED SETS_INVER SETS_INLERR SETS_JNLECCERR SETS_JNLECCERR SETS_JNLECCERR SETS_JNLECCERR SETS_JNLECCERR SETS_NOME SETS_NOMESET SETS_NOMESET SETS_NOMESET SETS_NOMIDDEN SETS_NOCLUSTER SETS_NOME | Value 00FB8022 00FB802A 000708012 08C0801C 08C0803C 08C08C 0 | SYMBOL SETS NOSUCHACE SETS NOTOIR SETS NOTDISK SETS NOTDOSK SETS NOTDOS2 SETS NOTPRIV SETS NOTOPRIV SETS NOTORSUMED SETS NOTORSUMED SETS NOTOUGPORT SETS NOTOUGPORT SETS NOWAIT SETS OPENDIR SETS OPENDIR SETS OPENDER SETS PRIVSET SETS PROVECTED SETS PRIVSET SETS PROVECTED SETS PROVED SETS SETS PROVED SETS SETS PROVED SETS SETS SYSNOTUPD SETS SYSNOTUPD SETS SYSNOTUPD SETS SYSPWDERR SETS STANDER SETS SYSNOTUPD SETS SYSPWDERR SETS STANDER SETS SYSNOTUPD SETS SYSNOTUPD SETS SYSPWDERR SETS STANDER SETS STANDER SETS SYSNOTUPD SETS SYSNOTUPD SETS SYSPWDERR SETS STANDER SETS STANDER SETS SYSNOTUPD SETS SYSNO | Value 00778042 00778042 00778042 00778042 00778132 00778122 0077804A 0077806A 0077806A 0077806A 0077806A 0077806A 0077806A 0077806A 0077806A 0077806A 007780AA 007780AA 007780BA 007780BA 007780BA 0077810BB 0077810BB 0077810BB 0077810BB 007780BA | Symbol SHOWS IVTYPE SHOWS MSCPNOTLD SHOWS MOSCPNOTLD SHOWS NOAVAIL SHOWS NOERRORS SHOWS NOTELASS SHOWS NOTCLASS SHOWS NOTCLASS SHOWS NOTCLASS SHOWS NOTCAN SHOWS UNREMD SHOWS UNREMD SHOWS UNREY SMBS FACILITY SMBS INVSTMNBR SMBS INVSTMNBR SMBS NOMOREITEMS SRHS BADEXCL NAM SRHS BA | Value |

D

FI

P

SI

SI

9

P:

\$1

F

007EBE83

Page

VAX-11 Linker V04-00

10

-L(

P

Ol

Value ----007EBE88 007EBE93 007EBE98 007EBEA3 007EBEB3 007EBEB3 MAILS - CVTFILE
MAILS - CVTFILE
MAILS - RECLSTAT
MAILS - DELSPACE
MAILS - DELSPACE
MAILS - NEWFOLDER
MAILS - RECLPLSWAIT
MAILS - RECLPLSWAIT
MAILS - RECLPLSWAIT
MAILS - DIRHDO
MAILS - DIRHDO
MAILS - DIRHDO
MAILS - DIRHDO
MAILS - ISUBO
MAILS - SHOWO
MAILS 007EBEBB 007EDDC0 007EDDD0 007EDDD8 007EDDE0 007EDDE8 007EDDF0 007EDDF8 007EDDF8 007EDE00 007EDE08 007EDE18 007EDE20 007EDE28 007EDE30 007EDE38 007EDE40 007EDE48 007EDE50 007EDE58 007EDE60 007EDE68 007EDE70 007EDE78 007EDE80 007EDE88 007EDE90 007EDE98 007EDEA0 007EDEA8 007EDEB0 007EDEB8 007EDEC0 007EDEC8 007EDED0 007EDED6 007EDEE0 007EDEE8 007EDEF0 007EDEFE 007EDF00 007EDF08 007EDf 18

007EDF 20

Symbols...

Value Symbols... ----........ 007EDF 28 007EDF 30 007EDF 38 007EDF 40 007EDF 48 007EDF 50 007EDF 58 007EDF 68 007EDF 70 007EDF 70 007EDF 78 007EDF 80 007EDF 80 007EDF 88 007EDF 90 007EDF 98 MAILS MAILFOLDER MAILS MAIL 40 MAILS CRENEWFOLD
MAILS NONEWMAIL
MAILS SHOWKEY10
MAILS SHOWKEY20
MAILS SHOWKEY30
MAILS SHOWKEY40
MAILS SHOWKEY60
MAILS SHOWKEY60
MAILS SHOWKEY70
MAILS NOTIFY40
MAILS NOTIFY40
MAILS NOPARENT
MAILS NOPARENT
MAILS NOPARENT
MAILS NOPARENT
MAILS NONEFOUND
RENAMES NOTRENAMED
RENAMES NOTSAMEDEV
PHNS OK MAILS CRENEWFOLD PHNS OK
PHNS ANSWERED
PHNS BUSYCALL
PHNS CANCALL
PHNS CANTREACH
PHNS DEAD
PHNS DECNETLINK
PHNS DIRCAN
PHNS FACSCAN
PHNS HUNGUP
PHNS LOGGEDOFF
PHNS REJECTED
PHNS REJECTED
PHNS SENDINGMAIL
PHNS BADCMD
PHNS BADCMD
PHNS BADCMD
PHNS BADCMD
PHNS BADSMB
PHNS BADSMB 00A68028 00A68038 00A68038 00A68048 00A68048 00A68063 00A68068 00A68068 00A68068 00A68073 00A68088 00A68088 00A68088 00A68082 00A6810A 00A68112

BU BU CO ER

5)

FO FO FO GE GE GE GE

NE OF OL SE SI SI UN

Symbols... Value 00A6811A 00A68122 00A68132 00A6813A 00A68144 00A68144 00A68144 00A68154 00BF800C 00BF8012 00C1800C 00C18012 00C18012 00C18012 00C18012 00C18012 00C18012 00C18012 00C18012 00C18012 00FB801A 00FB8012 00FB801A 00FB8012 00FB801A 00FB801C 0110800C 011080 PHNS ONLYNODE
PHNS PHONEBUSY
PHNS TARGTERM
PHNS TARGTERM
PHNS UNPLUGGED
PHNS BADTERM
PHNS SHAREDMBX
PHNS INPUTTERM
PRINTS CREJOB
PRINTS ADDFIL
PRINTS TEMOINSF
SUBMITS INVFILSPE
PRINTS TEMOINSF
SUBMITS INVCHANAM
QUEMANS INVCHANAM
QUEMANS INVCHANAM
QUEMANS INVCHANAM
QUEMANS INVFORNAM
QUEMANS INVFORNAM
QUEMANS INVFORNAM
QUEMANS INVFORNAM
QUEMANS INVFORNAM
QUEMANS INVSTRIEV
RUNS CREPRC
RUNS GETJPI
RUNS CYTERR
RUNS TRUNCATE
SRHS BADEXCL
SRHS BADEXC 08f 88028 08f 88028 08f 88030

\$2558DUA28:[MSGFIL.OBJ]CLIUTLMSG.EXE:1 VAX-11 Linker V04-00 Page Value Symbols... ----EXCHS BINCHKSUM
EXCHS CANCELED
EXCHS CLOSEERR
EXCHS CLOSEFOREIGN
EXCHS CREATEVIRT
EXCHS DEVNOTSUIT
EXCHS DIRE ERROR
EXCHS DOSIT BADLABEL
EXCHS DOSIT BLOCKSIZE
EXCHS DOSIT BLOCKSIZE
EXCHS DOSIT DERROR
EXCHS INVRECFMT
EXCHS INVRECFMT
EXCHS INVRECFMT
EXCHS MOUNTERROR
EXCHS MOUNTERROR
EXCHS MOCOPBAD
EXCHS NOCOPBAD
EXCHS NOCOPBAD
EXCHS NOCOPBAD
EXCHS NOCOPBAD
EXCHS NOCOPBAD
EXCHS NOCOPSYSDEL
EXCHS NOCOPSYSDEL OBF 88040
OBF 88040
OBF 88048
OBF 88058
OBF 88060
OBF 88068
OBF 88070
OBF 88080
OBF 88090
OBF 88090
OBF 88080
OBF 88100
OBF 88118

08F881D0

Pe

In la

IN NU NU NU US

NL In

Es

To Us To

17 Nu

Value ----08F881E8 08F881E8 08F881E8 08F881F0 08F881F8 08F88208 08F88213 08F88223 EXCHS STRTNOMULTI
EXCHS TOOMANYCOL
EXCHS VOLMOUNT
EXCHS VOLUME FULL
EXCHS WAITERR
EXCHS WRITECHECK
EXCHS DEVONLY
EXCHS DOS11 POSITION
EXCHS FIL11 NOREC
EXCHS IGNORE DIRE
EXCHS NOCARRIAGE
EXCHS NOCARRIAGE
EXCHS NOTCOPIED
EXCHS NOTCOPIED
EXCHS NOTCOPIED
EXCHS NOTOPLETED
EXCHS NOVOLUMES
EXCHS NOVOLUMES
EXCHS NOVOLUMES
EXCHS PARTCOPIED
EXCHS READERREC
EXCHS READERREC
EXCHS READERREC
EXCHS READERREC
EXCHS RET11 BIGBADFILE
EXCHS READERREC
EXCHS READERREC
EXCHS READERREC
EXCHS RET11 TOOMANYBLK
EXCHS RET11 TOOMANYBLK
EXCHS RET11 TOOMANYSEG
EXCHS TRACE
EXCHS WRITECACHE
EXCHS COPYBOOT
EXCHS 08F A8018 08F A8018 08F A8023 08F A8028 08F A8033

Symbols...

15

.

DE

Key for special characters above:

+ - Undefined U - Universal R - Relocatable X - External

```
M 6
16-SEP-1984 04:58
 $255$DUA28:[MSGFIL.OBJ]CLIUTLMSG.EXE:1
                                                                                                                       VAX-11 Linker V04-00
                                                                                                                                                                             17
                                                                                                                                                                    Page
                                                                    Image Synopsis
Virtual memory allocated:
                                                                   00000000 00006FFF 00007000 (28672. bytes, 56. pages)
Stack size:
                                                                             O. pages
Image header virtual block limits:
Image binary virtual block limits:
Image name and identification:
Number of files:
Number of modules:
                                                                                                   1. block)
56. blocks)
                                                                   CLIUTLMSG VO4-000
Number of program sections:
Number of global symbols:
Number of image sections:
                                                                   PIC, SHAREABLE. Global Section Match=EQUAL, Ident, Major=18, Minor=15140423 FULL in file _$255$DUA28:[MSGFIL.LIS]CLIUTLMSG.MAP;1
Image type:
Map format:
Estimated map length:
                                                                   74. blocks
                                                               ! Link Run Statistics !
Performance Indicators
                                                                                      CPU Time
                                                                   Page Faults
                                                                                                           Elapsed Time
                                                                                     00:00:01.39
00:00:00.92
00:00:00.15
00:00:00.59
00:00:02.22
00:00:00.04
00:00:05.31
                                                                              102
165
24
82
28
      Command processing:
                                                                                                           00:00:01.69
                                                                                                           00:00:01.48
00:00:00.29
00:00:01.53
     Pass 1:
     Allocation/Relocation:
     Pass 2:
                                                                                                           00:00:02.44
00:00:00.22
00:00:07.65
     Map data after object module synopsis:
     Symbol table output:
Total run values:
Using a working set limited to 900 pages and 88 pages of data storage (excluding image)
Total number object records read (both passes): 168
of which 0 were in libraries and 0 were DEBUG data records containing 0 bytes
Number of modules extracted explicitly
     with 0 extracted to resolve undefined symbols
O library searches were for symbols not in the library searched
A total of 4 global symbol table records was written
LINK/USERLIB=PROC/SHAREABLE=EXES:CLIUTLMSG/MAP=MAPS:CLIUTLMSG/FULL OBJS:BADMSG,EXCMSG,MAILMSG,PHONEMSGS,QUEMANMSG,RENAMEMSG,RUNMSG,S
ET, SHOWMSG, SMBMSG, SUBMITMSG, SEARCHMSG
```

DE

0250 AH-BT13A-SE

DIGITAL EQUIPMENT CORPORATION CONFIDENTIAL AND PROPRIETARY

